

Nationally Defined Values for Process Code

D79 Underground Injection Well Disposal

Corresponding units of measure:
(G) gallons;
(L) liters;
(U) gallons per day; or
(V) liters per day

D80 Landfill

Corresponding units of measure:
(A) acre-feet;
(B) acres;
(C) cubic meters;
(F) hectare-meter;
(Q) hectares; or
(Y) cubic yards

D81 Land Application

Corresponding units of measure:
(B) acres;
(C) cubic meters;
(Q) hectares; or
(Y) cubic yards

D82 Ocean Disposal

Corresponding units of measure:
(U) gallons per day or
(V) liters per day

D83 Surface Impoundment Disposal

Corresponding units of measure:
(C) cubic meters;
(G) gallons;
(L) liters; or
(Y) cubic yards

D99 Other Disposal

Corresponding units of measure:
(A) acre-feet;
(B) acres;
(C) cubic meters;
(D) short tons per hour;
(E) gallons per hour;

Nationally Defined Values for Process Code

- (F) hectare-meter;
- (G) gallons;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (L) liters;
- (N) short tons per day;
- (Q) hectares;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (Y) cubic yards

S01

Container

Corresponding units of measure:

- (C) cubic meters;
- (G) gallons;
- (L) liters; or
- (Y) cubic yards

S02

Tank Storage

Corresponding units of measure:

- (C) cubic meters;
- (G) gallons;
- (L) liters; or
- (Y) cubic yards

S03

Waste Pile

Corresponding units of measure:

- (C) cubic meters or
- (Y) cubic yards

S04

Surface Impoundment Storage

Corresponding units of measure:

- (C) cubic meters;
- (G) gallons;
- (L) liters; or
- (Y) cubic yards

S05

Drip Pad

Nationally Defined Values for Process Code

Corresponding units of measure:

- (B) acres;
- (C) cubic meters;
- (G) gallons;
- (L) liters;
- (Q) hectares; or
- (Y) cubic yards

S06 Containment Building - Storage

Corresponding units of measure:

- (C) cubic meters or
- (Y) cubic yards

S99 Other Storage

Corresponding units of measure:

- (A) acre-feet;
- (B) acres;
- (C) cubic meters;
- (D) short tons per hour;
- (E) gallons per hour;
- (F) hectare-meter;
- (G) gallons;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (L) liters;
- (N) short tons per day;
- (Q) hectares;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (Y) cubic yards

SWM Solid Waste Management Unit

Corresponding units of measure:

- (Z) SWM-specific

T01 Tank Treatment

Corresponding units of measure:

- (D) short tons per hour;

Nationally Defined Values for Process Code

- (E) gallons per hour;
- (H) liters per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day; or
- (W) metric tons per hour

T02

Surface Impoundment Treatment

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day; or
- (W) metric tons per hour

T03

Incinerator

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T04

Other Treatment

Corresponding units of measure:

- (A) acre-feet;

Nationally Defined Values for Process Code

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T80

Boiler

Corresponding units of measure:

- (E) gallons per hour;
- (G) gallons;
- (H) liters per hour;
- (I) BTU per hour;
- (L) liters; or
- (X) million BTU per hour

T81

Cement Kiln

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T82

Lime Kiln

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;

Nationally Defined Values for Process Code

- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T83

Aggregate Kiln

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T84

Phosphate Kiln

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

Nationally Defined Values for Process Code

T85

Coke Oven

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T86

Blast Furnace

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T87

Smelting, Melting, or Refining Furnace

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;

Nationally Defined Values for Process Code

- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T88 Titanium Dioxide Chloride Process Oxidation Reactor

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T89 Methane Reforming Furnace

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T90 Pulping Liquor Recovery Furnace

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;

Nationally Defined Values for Process Code

- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T91 Combustion Device Used in the Recovery of Sulfur Values from Spent Sulfuric Acid

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T92 Halogen Acid Furnace

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T93 Other Industrial Furnaces Listed in 40 CFR 260.10

Corresponding units of measure:

Nationally Defined Values for Process Code

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (X) million BTU per hour

T94

Containment Building - Treatment

Corresponding units of measure:

- (C) cubic meters;
- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour;
- (X) million BTU per hour; or
- (Y) cubic yards

TRN

Transporter

Corresponding units of measure:

- (G) gallons or
- (Y) cubic yards

X01

Open Burning/Open Detonation

Corresponding units of measure:

- (A) acre-feet;
- (B) acres;
- (C) cubic meters;
- (D) short tons per hour;

Nationally Defined Values for Process Code

- (E) gallons per hour;
- (F) hectare-meter;
- (G) gallons;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (L) liters;
- (N) short tons per day;
- (Q) hectares;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (X) million BTU per hour;
- (W) metric tons per hour; or
- (Y) cubic yards

X02

Mechanical Processing

Corresponding units of measure:

- (D) short tons per hour;
- (E) gallons per hour;
- (H) liters per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day; or
- (W) metric tons per hour

X03

Thermal Unit

Corresponding units of measure:

- (D) short tons per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (N) short tons per day;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;

Nationally Defined Values for Process Code

- (W) metric tons per hour; or
- (X) million BTU per hour

X04

Geologic Repository

Corresponding units of measure:

- (A) acre-feet;
- (C) cubic meters;
- (F) hectare-meter;
- (G) gallons;
- (L) liters; or
- (Y) cubic yards

X99

Other Subpart X

Corresponding units of measure:

- (A) acre-feet;
- (B) acres;
- (C) cubic meters;
- (D) short tons per hour;
- (E) gallons per hour;
- (F) hectare-meter;
- (G) gallons;
- (H) liters per hour;
- (I) BTU per hour;
- (J) pounds per hour;
- (L) liters;
- (N) short tons per day;
- (Q) hectares;
- (R) kilograms per hour;
- (S) metric tons per day;
- (U) gallons per day;
- (V) liters per day;
- (W) metric tons per hour; or
- (Y) cubic yards

* End of Report *